



CORSE MACCHINA / MAIN STROKES			
CORSA X / X STROKE [mm]	CORSA Y / Y STROKE [mm]	CORSA Z / Z STROKE [mm]	CORSA W / W STROKE [mm]
5000	3500	2000	1000


ELENCO ELEMENTI FRONTALI / HEAD-ON ELEMENTS				
N°	TIPOLOGIA / TYPE	DIMENSIONI / DIMENSIONS	CORSA V / V STROKE	CARICO / LOAD
1	TAVOLA / TABLE TR30	2500x3000	3500	32000 kg


PORTE DI ACCESSO ALL'IMPIANTO / ACCESS DOORS	
AO	ACCESSO OPERATORE / OPERATOR ACCESS
AL	ACCESSO AREA LAVORO / WORKING AREA ACCESS
AM	ACCESSO MANUTENZIONE / MAINTENANCE ACCESS




GRIGLIATI IN FONDAZIONE A CURA E CARICO DEL CLIENTE
METALLIC COVER AT CUSTOMER'S CHARGE AND CARE

PRELIMINARE/PRELIMINARY		X	2026-06-19
Rev.		Disegnato/Drawn	Data/Date
LAYOUT SPEEDMILL 4000 B -		TS-260286	
TR30 2500x3000		SD-520BDO-08Pr-1S	
--		Disegno No. Drawing No.	Progetto Sheet
TS-260286-002-X		1/3	







CORSE PEDANA OPERATORE
OPERATOR PLATFORM'S STROKES






A-A
270°



B-B
270°

PRELIMINARE/PRELIMINARY		X		2026-06-19
Rev.			Disegnato/Drawn	Data/Date
26/06/2026			Ufficiale/Official	
LAYOUT SPEEDMILL 4000 B -		TS-260286		
TR30 2500x3000		SD-S20BDD-089-15		
-- --		2/3		
TS-260286-002-X				

LEGENDA PROTEZIONI PERIMETRALI / PERIMETER PANELS LEGEND			
COLORE / COLOUR	MACROZONA / PANEL PLACEMENT	TIPOLOGIA PANNELLO / TYPE	ALTEZZA PANNELLO / PANEL HEIGHT [mm]
RED	PROTEZIONI POSTERIORI / REAR PANELS	Muro Perimetrale / Perimeter Wall	-
BROWN	PROTEZIONI LATERALI POSTERIORI / REAR-SIDE PANELS	Rete / Web	1400
GREEN	PROTEZIONI LATERALI / SIDE PANELS	Lamiera / Sheet Metal	4000
BLUE	PROTEZIONI ANTERIORI / FRONT PANELS	Rete / Web	1400



PRELIMINARE/PRELIMINARY

X

Rev.

Disegnato/Drawn

Official/Off

2026-06-19

Data/Date



www.pama.it

LAY-OUT SPEEDMILL 4000 B -

TR30 2500x3000

--

TS-260286

SD-S20BDO-08H-1S

TS-260286-002-X

3/3

TS-260286

SD-S20BDO-08H-1S

TS-260286-002-X

3/3

TS-260286

SD-S20BDO-08H-1S

TS-260286-002-X

3/3